



## Walk Behind 660, 710, 860 mm Battery Powered Cylindrical/Orbital Scrubber Dryers

The new Nilfisk-ALTO SCRUBTEC 8 series of scrubber dryers are suitable for large area cleaning. They offer more versatility, greater productivity, better reliability, extremely silent and advanced ergonomics.

Each of the five models in the range feature the latest technologies developed through

This series of walk-behind units is truly state-of-the-art in scrubber dryer efficiency. Gimbal-mounted brushes provide adjustable pressure to ensure effective cleaning, even on heavily soiled surfaces; the parabolic AccuTrack™ squeegee leaves the floor dry and ready for re-use; the brush decks are interchangeable; the one-touch controls reduce operator errors and improve cleaning results; the ergonomics are such that operator fatigue is minimised -the list goes on!

The superb performance of the SCRUBTEC 8 machines brings a new dimension to large area floor cleaning. When scrubbing and drying is this efficient, costs are optimised and the benefits become obvious. Reliable and easy to use, this latest innovation from Nilfisk-ALTO provides added value to professional cleaning

## PRODUCT FACTS

- Excellent ergonomic design easy to understand control panel with "One Touch" Scrub Control
- Large 85 litre solution and recovery tanks provides longer run time between dump and fills.
- Patented electronic pulse solution delivery system delivers precise and consistent solution without use of mechanical valves.
- The Scrubtec 8 Boost qualifies for up to 28% government Cashback under the new ECA Water Technology Product List. For more information visit the news section on nilfisk
- [alto.co.uk](http://alto.co.uk)

Model	SCRUBTEC 866	SCRUBTEC 871	SCRUBTEC 886	SCRUBTEC 871C	SCRUBTEC BOOST 8
Ref. no	41600110	41600120	41600130	41600140	41600100
Description	SCRUBTEC 866 - UK	SCRUBTEC 871 - UK	SCRUBTEC 886 - UK	SCRUBTEC 871C - UK	SCRUBTEC BOOST 8 - UK

### PRODUCT FEATURES






TRANSAXLE DRIVE MOTOR	■	■	■	■	■
BATTERY COMPARTMENT DRAIN	■	■	■	■	■
ON-BOARD CHARGER	■	■	■	■	■
AUTOMATIC BRUSH SHUT OFF	■	■	■	■	■
AUTOMATIC SOLUTION SHUT OFF	■	■	■	■	■
THERMAL BREAKERS	■	■	■	■	■
SOLUTION FILTER	■	■	■	■	■
ADJUSTABLE BRUSH PRESSURE	■	■	■	■	■
BRISTLE BRUSH SKIRT	■	■	■	■	■
CYLINDRICAL DECK: 2 BRUSHES				■	
DISC BRUSH VERSION	■	■	■		
HOPPER FOR COLLECTING DEBRIS				■	
RECOVERY EMPTYING HOSES	■	■	■	■	■
REMOVABLE RECOVERY LID	■	■	■	■	■
SOLUTION EMPTYING HOSES	■	■	■	■	■
ELECTRONIC FLOAT SWITCH	■	■	■	■	■
FINGER TOUCH CONTROL PANEL	■	■	■	■	■
KEY SWITCH	■	■	■	■	■
VARIABLE SPEED CONTROL	■	■	■	■	■
BATTERY LEVEL INDICATOR	■	■	■	■	■
SOLUTION LEVEL INDICATOR	■	■	■	■	■
OIL RESISTANT WHEELS	■	■	■	■	■
BLADES CAN BE USED ON 4 EDGES	■	■	■	■	■
DEBRIS TRAY	■	■	■	■	■






### INCL. ACCESSORIES






997001 PAD, RED 14X28 5-PK					■
11332A SQUEEGEE		■		■	■
10398A SQUEEGEE ASSY 32.5	■				
10399A SQUEEGEE ASSY 35		■		■	■
10748A SQUEEGEE ASSY 41			■		
11333A SQUEEGEE BLADE KIT 32.5IN	■				
11331A SQUEEGEE BLADE KIT 41			■		

Technical specifications	SCRUBTEC 866	SCRUBTEC 871	SCRUBTEC 886	SCRUBTEC 871C	SCRUBTEC BOOST 8
POWER SOURCE	24 Volt Battery	24 Volt Battery	24 Volt Battery	24 Volt Battery	24 Volt Battery
VACUUM MOTOR TYPE - TANGENTIAL	X	X	X	X	X
TRACTION MOTOR TYPE - TRANSAXLE	X	X	X	X	X
BRUSH MOTOR (W)	2 x 560	2 x 560	2 x 560	2 x 600	1 x 560
TRACTION MOTOR POWER (W)	330	330	330	330	330
VACUUM MOTOR POWER (W)	550	550	550	550	550
SOUND PRESSURE LEVEL (dB(A))	65	65	67	71	63
PRODUCTIVITY RATE THEORETICAL/ ACTUAL (M <sup>2</sup> /H)	3170/1905	3410/2050	4130/2480	3410/2050	3410/2050
WORKING WIDTH (MM)	660	710	860	710	710
WATER FLOW (L/M)	0 - 3,8	0 - 3,8	0 - 3,8	0 - 3,8	0 - 2,5
SOLUTION/RECOVERY TANK (L)	85/85	85/85	85/85	85/85	85/85
SQUEEGEE WIDTH (MM)	810	890	1070	1040	890
CYLINDRICAL BRUSH LENGTH (MM)				690	
BRUSH PRESSURE (KG)	68	68	68	33	45
BRUSH SPEED (RPM)	200	200	200	615	2250
DIMENSIONS LXWXH (MM)	1550x710x1120	1570x760x1120	1620x910x1120	1510x780x1120	1540x730x1120

Accessories	Ref. no	Min. required	SCRUBTEC 866	SCRUBTEC 871	SCRUBTEC 886	
<b>Batteries and Chargers</b>						
	BATTERY SINGLE CELL SEMI TR WET 255AH CH9	80565000	4	+	+	+
	BATTERY 12-4PZS240 WET	L00290018	1	+	+	+
	BATTERY SINGLE CELL FT 06 174AH CH12	80564500	4	+	+	+
	BATTERY SINGLE CELL DF 06 DRY MONO M.FREE 240AH CH5	80564100	4	+	+	+
	BATTERY SINGLE CELL 220AH5 CH9 CH18-BR601-751 GEL	L00210012	1	+	+	+
	BATT 180A DF 06 1100-CH15 CH2 600/1301CH8 850-CH12	80564000	4	+	+	+
<b>Pad 13" / 330mm</b>						
 330mm	CS 13 WHITE 51 PADS	976031	2	+		
	CS 13 RED 51 PADS	976032	2	+		
	CS 13 BLUE 51 PADS	976034	2	+		
	CS 13 BROWN 51 PADS	976035	2	+		
	CS 13 BLACK THICK PADS	976142	2	+		
<b>Pad 14" / 355mm</b>						
 355mm	PADS CS 14" WHITE 51	976037	2		+	
	CS 14 RED PADS	976038	2		+	
	CS 14 BLUE 51 PADS	976039	2		+	
	CS 14 BROWN 51 PADS	976040	2		+	
	CS 14 BLACK THICK PADS	976146	2		+	
<b>Pad 17" / 432mm</b>						
 432mm	CS 17 WHITE 51 PADS	976052	2			+
	CS 17 RED 51 PADS	976053	2			+
	CS 17 BLUE 51 PADS	976054	2			+
	CS 17 BROWN 51 PADS	976055	2			+
	CS 17 BLACK THICK PADS	976158	2			+
<b>PAD BOOST white</b>						
PAD BOOST WHITE	PAD, WHITE 14X28 5-PK	997002	1			
	PAD, RED 14X28 5-PK	997001	1			
	PAD BLUE 14 X 28	997006	1			
	PAD, BLACK 14X28 5-PK	997000	1			
<b>Brush BOOST Nylon</b>						
BRUSH BOOST NYLON	BRUSH POLY BOOST 28	30752A	1			
	BRUSH NYLON BOOST 28	30751A	1			
	BRUSH GRIT BOOST 28	30753A	1			
<b>Brush disc. 330mm</b>						
 330mm	POLYPROP BRUSH ASSM L MDL	11438A	2	+		

Accessories	Ref. no	Min. required	SCRUBTEC 866	SCRUBTEC 871	SCRUBTEC 886
 330mm	<b>Brush disc. 330mm</b>				
	NYLN BRUSH ASSM 13" L MDL	11437A	2	+	
	BRUSH LITE GRIT 13"	10382A	2	+	
	CLN GRIT BRUSH 13" L MDL	11439A	2	+	
	GRIT BRUSH ASSM 13" L MDL	11440A	2	+	
 355mm	<b>Brush disc 355</b>				
	BRUSH ASM..POLYPROPLENE 1	11427B	2		+
	BRUSH, 28" NYLON	10874A	2		+
	BRUSH, ASM LITE GRIT 14"	10383A	2		+
	BRUSH ASM.. GRIT MEDIUM (	11431B	2		+
	BRUSH ASM.. GRIT HEAVY (	11426B	2		+
 430mm	<b>Brush disc. 430mm</b>				
	BRUSH ASM..POLYPROPYLENE	11424B	2		+
	BRUSH, 17" NYLON	10875A	2		+
	LITE GRIT BRUSH 17in	10384A	2		+
	BRUSH ASM.. GRIT MEDIUM (	11430B	2		+
	BRUSH ASM.. GRIT HEAVY (1	11425B	2		+
	<b>Brush, cylindrical</b>				
	CYLINDRICAL BRUSH 680MM 28in SOFT NYLON	56412191	2		
	CYLINDRICAL BRUSH 680MM 28in POLYPROPYLENE	56412046	2		
	CYLINDRICAL BRUSH 680MM 28in HARD NYLON	56412192	2		
	CYLINDRICAL BRUSH 680MM 28in 180 GRIT	56412193	2		
	CYLINDRICAL BRUSH 680MM 28in 80 GRIT	56412194	2		
	CYLINCRICAL BRUSH 680MM 28in 46 GRIT	56412195	2		
	<b>Others</b>				
	WHEEL REAR	909 5511 000	1	+	+

Accessories	Ref. no	Min. required	SCRUBTEC 871C	SCRUBTEC BOOST 8
<b>Batteries and Chargers</b>				
	BATTERY SINGLE CELL SEMI TR WET 255AH CH9	80565000	4	+
	BATTERY 12-4PZS240 WET	L00290018	1	+
	BATTERY SINGLE CELL FT 06 174AH CH12	80564500	4	+
	BATTERY SINGLE CELL DF 06 DRY MONO M.FREE 240AH CH5	80564100	4	+
	BATTERY SINGLE CELL 220AH5 CH9 CH18-BR601-751 GEL	L00210012	1	+
	BATT 180A DF 06 1100-CH15 CH2 600/1301CH8 850-CH12	80564000	4	+
<b>Pad 13" / 330mm</b>				
 330mm	CS 13 WHITE 51 PADS	976031	2	
	CS 13 RED 51 PADS	976032	2	
	CS 13 BLUE 51 PADS	976034	2	
	CS 13 BROWN 51 PADS	976035	2	
	CS 13 BLACK THICK PADS	976142	2	
<b>Pad 14" / 355mm</b>				
 355mm	PADS CS 14" WHITE 51	976037	2	
	CS 14 RED PADS	976038	2	
	CS 14 BLUE 51 PADS	976039	2	
	CS 14 BROWN 51 PADS	976040	2	
	CS 14 BLACK THICK PADS	976146	2	
<b>Pad 17" / 432mm</b>				
 432mm	CS 17 WHITE 51 PADS	976052	2	
	CS 17 RED 51 PADS	976053	2	
	CS 17 BLUE 51 PADS	976054	2	
	CS 17 BROWN 51 PADS	976055	2	
	CS 17 BLACK THICK PADS	976158	2	
PAD BOOST WHITE	<b>Pad BOOST white</b>			
	PAD, WHITE 14X28 5-PK	997002	1	+
	PAD, RED 14X28 5-PK	997001	1	+
	PAD BLUE 14 X 28	997006	1	+
	PAD, BLACK 14X28 5-PK	997000	1	+
BRUSH BOOST NYLON	<b>Brush BOOST Nylon</b>			
	BRUSH POLY BOOST 28	30752A	1	+
	BRUSH NYLON BOOST 28	30751A	1	+
	BRUSH GRIT BOOST 28	30753A	1	+
 330mm	<b>Brush disc. 330mm</b>			
	POLYPROP BRUSH ASSM L MDL	11438A	2	

Accessories	Ref. no	Min. required	SCRUBTEC 871C	SCRUBTEC BOOST 8
 330mm	<b>Brush disc. 330mm</b>			
	NYLN BRUSH ASSM 13" L MDL	11437A	2	
	BRUSH LITE GRIT 13"	10382A	2	
	CLN GRIT BRUSH 13" L MDL	11439A	2	
 355mm	<b>Brush disc 355</b>			
	BRUSH ASM..POLYPROPLENE 1	11427B	2	
	BRUSH, 28" NYLON	10874A	2	
	BRUSH, ASM LITE GRIT 14"	10383A	2	
	BRUSH ASM.. GRIT MEDIUM (	11431B	2	
BRUSH ASM.. GRIT HEAVY (	11426B	2		
 430mm	<b>Brush disc. 430mm</b>			
	BRUSH ASM..POLYPROPYLENE	11424B	2	
	BRUSH, 17" NYLON	10875A	2	
	LITE GRIT BRUSH 17in	10384A	2	
	BRUSH ASM.. GRIT MEDIUM (	11430B	2	
BRUSH ASM.. GRIT HEAVY (1	11425B	2		
	<b>Brush, cylindrical</b>			
	CYLINDRICAL BRUSH 680MM 28in SOFT NYLON	56412191	2	+
	CYLINDRICAL BRUSH 680MM 28in POLYPROPYLENE	56412046	2	+
	CYLINDRICAL BRUSH 680MM 28in HARD NYLON	56412192	2	+
	CYLINDRICAL BRUSH 680MM 28in 180 GRIT	56412193	2	+
	CYLINDRICAL BRUSH 680MM 28in 80 GRIT	56412194	2	+
CYLINCRICAL BRUSH 680MM 28in 46 GRIT	56412195	2	+	
	<b>Others</b>			
	WHEEL REAR	909 5511 000	1	+